CHAPTER ELEVEN <u>GRAPHS:</u>

Some basic graphs:

Before a graph can be plotted, we must first construct a table with reference to the equation of the given graph.

- A few values of x are selected and for each, the corresponding y value is computed.
- These two corresponding values i.e. the x and the y values are then plotted on a graph paper.
- There are certain basic graphs which students must be familiar with and be capable of plotting.
- The way or manner of plotting some of these graphs will be illustrated in the following questions:

Q1). Using values of x from -2 to 2, plot the following graphs:

1) $y = 2x$.	2). $y + 4x = 0$.		
3). $y = \frac{1x}{2}$.	4) $y = -x/2$.		
5) $y = 2x + 1$.	6) $y + 4x + 2 = 0$.		

(1)


$$y = 2x$$

Х	- 2	- 1	0	1	2
Y	- 4	- 2	0	2	4

(a) If
$$x = -2$$

 $y = 2x$
 $z > y = 2(-2) = -4$
 $z > y = -4$
(b) If $x = -1$
 $y = 2x$
 $z > y = 2(-1)$
 $z > y = -2$

(e) If x = 2y = 2x $\Rightarrow y = 2(2)$ $\Rightarrow y = 4$



N/B: Before plotting any graph you, must first make sure y is the subject of the given equation. If not, then make y the subject.

(2) From y + 4x = 0, => y = 0-4x = -4x

X	-2	-1	0	1	2
Y	8	4	0	s- 4	-8


y = - 4x

(a) If x = -2 y = -4x => y = -4 (-2) => y = 8 (b) If x = -1=> y = - 4(-1) => y = 4

(c) If x = 0(d) If x = 1y = -4xy = -4x=> y = -4 (0)=> y = -4(1) = -4=> y = 0=> y = -4

(e) If
$$x = 2$$

 $y = -4x$
 $=> y = -4(2) = -8$
 $=> y = -8$



1.
$$y = \frac{1x}{2} \{ \text{ or } y = x/2 \}$$

3)	<i>,y</i> =	$=\frac{x}{2}$ or $y = \frac{1x}{2}$			
Х	-2	-1	0	1	2
Y	-1	-0.5	0	0.5	1

(a) If
$$x = -2$$


 $y = \frac{1x}{2} = \frac{1}{2}(-2)$
(b) If $x = -1$
 $y = \frac{1x}{2} = \frac{1}{2}(-1)$
 $=> y = -2/2$
 $=> y = -1$
 $=> y = -1/2 = -0.5$
 $=> y = -0.5$

(c) If
$$x = 0$$

 $y = \frac{1x}{2} = \frac{1}{2}(0)$
 $=> y = 0/2$
 $=> y = 0$
(d) If $x = 1$
 $y = \frac{1x}{2} = \frac{1}{2}(1)$
 $=> y = 1/2$
 $=> y = 0.5$

. .

X	-2	-1	0	1	2
Y	1	0.5	0	- 0.5	-1



N/B: In the plotting of a graph, the interval used on one particular axis (i.e. the difference between one number and the next) must be the same.

- For a particular graph, the interval used on the x-axis must be the same.
- But the scale used on the x-axis can be different from that used on the y-axis.


4)
$$y = -x/2$$
. or $y = \frac{-x}{2}$

1) If x = -2 2) If x = -1

$$y = -x/2 = -(-2)/2$$
 $y = -x/2 = -(-1)/2$

- → y = 2/2 = 1 => $y = \frac{1}{2} = 0.5$
- 3) If x = 0 4) If x = 1
- y = -x/2 = -(0)/2 = 0=> y = 0. y = -x/2 = -(1)/2=> y = -1/2 = -0.5
- **5** | Page

5) If x = 2y = -x/2 = -(2)/2=> y = -1



5)

y = 2x + 1

X	-2	-1	0	1	2
Y	-3	-1	1	3	5

- 1) If x = -2 2) If x = -1
- $y = 2x + 1 \qquad \qquad y = 2x + 1$
- => y = 2(-2) + 1 => y = 2(-1) + 1 = -2 + 1
- => y = -4 + 1 = -3. => y = -1.
- 3) If x = 0 4) If x = 1

y = 2x + 1	y = 2x + 1
= y = 2(0) + 1	=> y = 2(1) + 1 = 2 + 1 = 3
=> y = 0+1 = 1.	=> y = 3.