CHAPTER EIGHT

TRANSFORMATION

Introduction:

There are various types of transformation and the types to be considered are:

- 1. Translation . 3. Rotation.
- 2. Reflection. 4. Enlargement.

Translation:

- This is the types of transformation in which every point moves the same distance, and in the same direction.
- Under translation, the lengths of lines and the sizes of angles do not change
- This implies that if a figure undergoes translation, its size as well as its angles remain unchanged.
- If the point (x, y) is translated by the vector $\binom{a}{b}$, then $(x, y) \longrightarrow (x + a, y + b)$, ie (x, y) tranlation by vector $\binom{a}{b}$, (x + a, y + b).

Example (1) If (x, y) is translated by the vector $\begin{pmatrix} 1 \\ 4 \end{pmatrix}$, then

$$(x,y) \longrightarrow (x+1,y+4).$$

Example (2)

If (2, 5) is translated by the vector $\begin{pmatrix} 1 \\ 3 \end{pmatrix}$, then

- $(2,5) \longrightarrow (2+1,5+3).$
- (2,5) → (3,8).

N/B: The point (3, 8) is called the image of the point (2, 5).

Reflection :

The reflection of a point or a figure can only be described, only when the position of the mirror line is well defined or known.

Under this type of transformation, the sizes of angles as well as the lengths of lines remain unchanged.





- The graph whose equation is x = 1, is a straight lines which is perpendicular to the x-axis, and passes through the point 1 on the x-axis.
- Also the line x = -2 passes through the point -2 on the x-axis.
- The y axis is also the same as the line x = 0

Types of reflections:

There are various types of reflections, and those to be considered are:

1. <u>Reflection in the y-axis or line x = 0:</u>

- For such a reflection, $(x, y) \longrightarrow (-x, y).$

Example (1).

P (2, 5) reflection in the y- axis $P_1(-2,5)$.

Example (2)

If the Q(3, 8) undergoes a reflection in the line x = 0, then for its image Q₁, $Q(3,8) \longrightarrow Q_1(-3,8)$.

2. Reflection in the line y = b:

For such a reflection, $(x, y) \longrightarrow (x, 2b - y)$.

Example (1)

If the point (2,4) undergoes a reflection in the line

y = 3, then $(2, 4) \xrightarrow{\text{reflection in line } y = 3} \{2, 2(3) -4\}$ $(2, 4) \xrightarrow{} (2, 6-4)$ $(2, 4) \xrightarrow{} (2, 2).$

Example (2)

If the point Q(2,3) undergoes a reflection in the line y = 5, then for its image Q_1 ,

(x, y) reflection in the line y = b (x, 2b - y),

 $\Rightarrow Q(2,3) reflection in line y = 5 Q_1 \{2, 2(5) -3\}$

- $Q(2, 3) \longrightarrow Q_1(2, 10-3)$
- $Q(2, 3) \longrightarrow Q_1(2,7).$

N/B: In this case, (x, y) = (2, 3) and y = b

becomes equal to y = 5.

Therefore x = 2, y = 3 and b = 5.

There values are the substituted into the formula

(x, y) reflection in line y = b (x, 2b - y).

3. <u>Reflection in the x-axis or the line y = 0:</u>

For such a reflection,
(x, y) reflection in x-axis
(x, -y)
Example (1)

If P(4, 3) undergoes a reflection in the x-axis, then its image P₁ is given by P(4,3) reflection in x-axis $P_1(4,-3)$.

Example (2)

If the point A(-3,-4) undergoes a reflection in the x-axis, then its image A₁, is given by A(-3, -4) reflection in a-axis A₁(-3, 4).



- The line graph whose equation is y = 3, is a straight line which is perpendicular to the y-axis, and passes through the point 3 on they-axis.

- Also the line y = -2, passes through the point -2 on the y - axis.

- Lastly the x- axis is the same as the line y = 0.

- 4. Reflection in line y = x, or the line y-x = 0, or line -y = -x:
- The line y = x is the same as the line y-x = 0, or the line -y = -x
- For such a reflection, (x,y) reflection in line y = x (y, x).

Example: if the point P(3, 5) undergoes a reflection in the line y = x, then for its image P₁,

P(3,5) reflection in line y = x P₁(5, 3).

The line y = x is shown next:



- 5. <u>Reflection in the line y = -x or the line y + x = 0 or the line -y = x:</u>
- The line y = -x is the same as the line y + x = 0, or the line -y = x.
- For such a reflection,
 - (x, y) reflection in line y = -x (-y,-x).

Example (1)

If the point B(2, 5) undergoes a reflection in the line y = -x, then for its image B_1 ,

B(2,5) reflection in line y = -x B₁(-5, -2).

Example (2)

If the point C(-3, -2) undergoes a reflection in the line

y + x = 0, then for its image

C(-3, -2) reflection in line y + x = 0 C₁(2, 3).

Next is a diagrammatic representation of the line
y = - x



N/B: The line x = a is a straight which is perpendicular to the x-axis, and passes through the point a, on the x-axis.

Also the line x = b is perpendicular to the x-axis, and passes through the point b on the x-axis.



6. **Reflection in the line** $\mathbf{x} = \mathbf{a}$:

If the point (x, y) undergoes a reflection in the line x = a, then (x, y) reflection in line x = a (2a - x, y).

Example (1)

If the point (4, 3) undergoes a reflection in the line x = 5, then (x, y) = (4, 3)and x = a becomes equal to x = 5. Therefore x = 4, y = 3 and a = 5From (x, y) reflection in line x = a (2a-x, y). (4, 3) reflection in line x = 5 {2(5)-4, 3}. (4, 3) (10 - 4, 3) (4, 3) (6, 3).

Example (2)

If the point p(-3, 4) undergoes a reflection in the line

y = 8, then for its image P_{1} ,

P(-3, 4) reflection in line
$$y = 8$$
 P₁{2(8) - (-3), 4}

$$P(-3, 4) \longrightarrow P_1(16+3, 4).$$

 $P(-3, 4) \longrightarrow P_1(19, 4).$